

DRILL: EQ + 911 RELAY + QWA

**DATE OF NET OPERATIONS:** 3/30/2023 1900 HRS FMT KILO-ALT SUMMARY NET CONTROL VERS 2023 04 01

Report: SER NET - CORE (VOLUNTEERS / COMMUNITY SERVICE). Emergency Radio Operations Center: VILLAGE (©) K6PDS) 12/8/2022

Net Agenda:  Practice (actual info)  Practice with Drill  Actual Incident

1.  SIT REP - USE FMT TANGO 9A OR TANGO 9M ;  EARTHQUAKE (EXPLOSION) NET - USE FMT T 9A OR T 9M

2. QWA Proceed  BREVITY FIRE WATCH PROCEDURE for suspect smoke, fire, embers

3.  ALL STNS CONDUCT QWA PROC OR,  NOT REQUIRED - STATION DISCRETION ; AND

3. → DRILL Relay 911 CALL (FB Made DRILL 911 Request) SI DID DRILL Relay CALL to 911

**PRIM NET CH:** EROC 9 (TX / RX).

Tacticals Activated:  CONTROL (PRIM NET ON EROC 9); (B11) ;  ( / ) ;

BACKUP (PRIM NET ON EROC 9); (F71) ;  Cal Fire 20 (F71) ;

(WITH HAM)  58 Relay ++ ( / ) ;  10 RELAY \*\* ( / ) ;  Mapping (F11) ;

If needed  11 Victor RELAY  12 Yankee RELAY (IN PROCESS)  ( / ) ;

For CORE  10 ALPHA Relay (IF AVAIL) ( / ) .  58 RELAY++ ( / ) ;  ( / ) ;

AREAS]  10 SILENT (if 10 is on) \*\* ( / ) .  58 SILENT++ ( / ) ;

\*\* 10 (760) may be on MONITOR only due to malicious keying of repeater (Only HQ Stations have satellite TX). Thus, Satellite "10 Alpha Relay" needed in such cases so people can listen to 760 (10.) but no TX into 760 (10). Also, 10 (760) may be turned off due to malicious keying of repeater and waking station operators up during night.

++ 58 RELAY STATION MUST USE EROC 58 ON HIGH POWER. SEE Note 8.

Net Reports Summary (SEE NEXT PAGE FOR SUMMARY).

Net Control Recommendation:  No action  ACTION

TOTAL NET TIME	16	MIN	(from initial tone out activation to closing)
Divisions Reporting	2	DIV	(# of Shingletown Divisions.)
Areas Reporting	3	AREAS	(# of neighborhoods)
Stations Reporting from All Areas: (each Area having done its own Area Net and Relaying summary into SER CONTROL. All Area summary reports are then mapped, summarized and followed by CONTROL Recommendation as to action (if any) to be done). Operations Center Mapping Summary and Recommendations are then TX on EROC 9 and Ham (on Ham if activated).	16	RPTS TOTAL Line A	(Total STNS reporting) 15 + 1 DRILL (including 1 report(s) for drill 911 Emergency Relay (CK If applicable)
Stations QXX	6	Line B	VL: 56 57 710 11 59 RA: MWM
TOTAL STATIONS PARTICIPATING (total of lines A + B)	22	TOTAL STNS	
<b>REPORTS TOTALS (total to line A, above)</b>			
Village D3N VL -Emerg. Radio Operations Center + DRILL PASSING EMERGENCY TRAFFIC (if applicable)	12	Stns	VL: F1 F7 B1 B6 F8 F2 L3 L4 S1 S2 C1 S3 + DRILL 911 Relay (FB 751)
Midway D2N MW REPORTS ON EROC 9	2	Stns	MW ON EROC 9
Long Hollow D3N LH REPORTS ON EROC 9	1	Stns	LH ON EROC 9
Rest Area D3N RA HAM REPORTS TO HAM RELAY	QXX	Stns	RA HAM relay into HAM (MWM)

Areas not participating have been deleted

NOTES: \_\_\_\_\_

-DRILL-

DATE: 3/30/2023 TIME: 1900 HRS		SITREP AFTER ACTION SUMMARY - NON EMERG RPTS FROM INCIDENT MAPPING BOARD ( I.E., FMT ROMEO 8)								
DESCRIPTION - REPORT PROBLEMS ONLY		CODE	Midway # STNS 2	Long Holl # STNS 1	Village # STNS 12	Rest Area # STNS 277	DRILL AREA 1	DRILL AREA 2		
<b>Sitrep</b>	<b>COLOR ITEMS FOR ACTION WITH "RED"</b>		<b>circle IF APPLIES</b>						<b>Sitrep [ "P" = RPT IS FOR PART OF AREA ]</b>	
<b>QXA - ALL OKAY ... NO PROBLEMS / NEEDS EXIST (I.E., BELOW)</b>	<b>QXA</b>	<b>QXA</b>	<b>QXA</b>	<b>QXA</b>	<b>QXA</b>	<b>QXA</b>	<b>QXA</b>	<b>QXA</b>	<b>QXA</b>	
<b>QWA - BREVITY FIRE WATCH - NO SUSPECT SMOKE, FIRE, EMBERS</b>	<b>QWA</b>	<b>QWA</b>	<b>QWA</b>	<b>QWA</b>	<b>QWA</b>	<b>QWA</b>	<b>QWA</b>	<b>QWA</b>	<b>QWA</b>	
"Electricity (pg&e) is off", (SAY "SLASH A")	/A	/A	/A	/A	/A	/A	/A	/A	/A	
"Elect off with Individual STNS using generator for elect. PWR"	/A2	/A2	/A2	/A2	/A2	/A2	/A2	/A2	/A2	
TELEPHONE LAND LINES NOT WORKING [WHEN PLUGGED DIRECT TO WALL]	/B	/B	/B	/B	/B	/B	/B	/B	/B	
OR <u>SPORADIC FAILURES &amp; IS NOT RELIABLE</u>	/B7	/B7	/B7	/B7	/B7	/B7	/B7	/B7	/B7	
CELL PHONES NOT WORKING	/C	/C	/C	/C	/C	/C	/C	/C	/C	
OR <u>SPORADIC FAILURES &amp; IS NOT RELIABLE</u>	/C7	/C7	/C7	/C7	/C7	/C7	/C7	/C7	/C7	
<b>911 SERVICE NOT WORKING</b>	<b>/D RED</b>	<b>/D</b>	<b>/D</b>	<b>/D</b>	<b>/D</b>	<b>/D</b>	<b>/D</b>	<b>/D</b>	<b>/D</b>	
OR <u>SPORADIC FAILURES &amp; IS NOT RELIABLE</u>	<b>/D7 RED</b>	<b>/D7</b>	<b>/D7</b>	<b>/D7</b>	<b>/D7</b>	<b>/D7</b>	<b>/D7</b>	<b>/D7</b>	<b>/D7</b>	
<b>[RECMEND HIGH ALERT MONITORING -NO 911 REV 911]</b>	<b>RED</b>									
INTERNET IS NOT WORKING	/E	/E	/E	/E	/E	/E	/E	/E	/E	
OR <u>SPORADIC FAILURES &amp; IS NOT RELIABLE</u>	/E7	/E7	/E7	/E7	/E7	/E7	/E7	/E7	/E7	
<b>BLACKOUT-ALL COMMS / ELECT. UTIL (I.E., /A TO /E) ALL OFF [RECMEND HIGH ALERT MONITORING-EMERG TRAFFIC...]</b>	<b>/F RED</b>	<b>/F</b>	<b>/F</b>	<b>/F</b>	<b>/F</b>	<b>/F</b>	<b>/F</b>	<b>/F</b>	<b>/F</b>	
FLOODING IN AREA	/G	/G	/G	/G	/G	/G	/G	/G	/G	
HIGH WINDS / STORM DAMAGE	/I	/I	/I	/I	/I	/I	/I	/I	/I	
WATER SERVICES NOT WORKING [CONCERNS INCLUDE - FIRE HYDRANTS W/O WATER]	<b>/J RED</b>	<b>/J</b>	<b>/J</b>	<b>/J</b>	<b>/J</b>	<b>/J</b>	<b>/J</b>	<b>/J</b>	<b>/J</b>	
HEAVY SNOW / SNOW CHAINS REQUIRED	/K	/K	/K	/K	/K	/K	/K	/K	/K	
<b>Earthquakes or Explosions (ModMercali)</b>		<b>Earthquakes Or Explosions</b>								
" EARTHQUAKE (OR "EXPLOSION") - NOT FELT AT ALL	/M1	/M1	/M1	/M1	/M1	/M1	/M1	/M1	/M1	
" EARTHQUAKE - BARELY NOTICED	/M2	/M2	/M2	/M2	/M2	/M2	/M2	/M2	/M2	
" EARTHQUAKE KNOW IT WAS AN EARTHQUAKE SOMEWHERE "	/M3	/M3	/M3	/M3	/M3	/M3	/M3	/M3	/M3	
" EARTHQUAKE windows, dishes rattle" (ANY STN ACTIVATE NET)	/M4	2 /M4	1 /M4	7 /M4	/M4	/M4	/M4	/M4	/M4	
" EARTHQUAKE pictures move, doors swing, small items on floor"	/M5	/M5	/M5	5 /M5	/M5	/M5	/M5	/M5	/M5	
" EARTHQUAKE glassware broken, books off shelf, floor lamps topple"	/M6	/M6	/M6	/M6	/M6	/M6	/M6	/M6	/M6	
" EARTHQUAKE furniture broken, cannot stand, chimneys fall" [RECMEND MID LEVEL ALERT MONITORING; DISPATCH DAMAGE ASSESSMENT TEAMS ON SUB NET; AND ADVISE 911 OF RESULTS IF APPROPRIATE, ETC. ...].	<b>/M7 RED</b>	<b>/M7</b>	<b>/M7</b>	<b>/M7</b>	<b>/M7</b>	<b>/M7</b>	<b>/M7</b>	<b>/M7</b>	<b>/M7</b>	
" Earthquake -Buildings collapse" [RECMEND HIGH ALERT MONITORING; DISPATCH DAMAGE ASSESSMENT TEAMS ON SUB NET; AND ADVISE 911 OF RESULTS IF APPROPRIATE ...].	<b>/M8 RED</b>	<b>/M8</b>	<b>/M8</b>	<b>/M8</b>	<b>/M8</b>	<b>/M8</b>	<b>/M8</b>	<b>/M8</b>	<b>/M8</b>	
REQUESTING SET UP OF NBHD COMMS CENTER IN AO	/R1 RED	/R1	/R1	/R1	/R1	/R1	/R1	/R1	/R1	
REQUESTING NBHD RADPID NEEDS DAMAGE ASSESSMT FOR AO	/R2 RED	/R2	/R2	/R2	/R2	/R2	/R2	/R2	/R2	
RADIO RESPONDER - I AM AVAILBLE FOR FIELD CALL OUT	/R9	/R9	/R9	/R9	/R9	/R9	/R9	/R9	/R9	
<b>I AM okay and do not need assistance ... OR, IF FOR AREA</b> /Y = I AM OKAY, MY AREA OKAY, AND ANY ASSISTANCE NEEDS IN MY AREA ARE BEING TAKEN CARE OF BY MY AREA. NO OUT OF AREA ASSISTANCE NEEDED AT THIS TIME.	<b>/Y</b>	2 /Y	1 /Y	12 /Y	/Y	/Y	/Y	/Y	/Y	

<b>DESCRIPTION</b>	<b>CODE</b>	Midway	Long Holl	Village	Rest Area		DRILL AREA 1	DRILL AREA 2
I NEED [AREA NEEDS] ASSIST. FOR WELFARE CHECK: ON _____ LOCATED AT _____	/ N1	/ N1	/ N1	/ N1	/ N1	/ N1	/ N1	/ N1
I MAY NEED [AREA MAY NEED] ASSISTANCE FOR ANY POSSIBLE EVACUATION ORDERS. - I (OR /NR ____ # PERSONS) CAN'T GET OUT BY SELF [ADVISE OF SITUATION – E.G., WHEELCHAIR, NO VEHICLE, CONFINED TO BED, ELDERLY DIFFICULTY MOVING, ETC...]. LOCATION _____	/ N2	/ N2	/ N2	/ N2	/ N2	/ N2	/ N2	/ N2
I NEED [AREA NEEDS] PROPANE	/ N3	/ N3	/ N3	/ N3	/ N3	/ N3	/ N3	/ N3
I NEED [AREA NEEDS] DRINKING WATER FOR /NR ____ # PEOPLE	/ N4	/ N4	/ N4	/ N4	/ N4	/ N4	/ N4	/ N4
I NEED [AREA NEEDS] FOOD FOR /NR ____ # PEOPLE	/ N5	/ N5	/ N5	/ N5	/ N5	/ N5	/ N5	/ N5
I NEED [AREA NEEDS] BATTERY (TYPE ) FOR (INSERT)	/ N6	/ N6	/ N6	/ N6	/ N6	/ N6	/ N6	/ N6
I NEED [AREA NEEDS] FIREWOOD /NR ____ # CORDS	/ N7	/ N7	/ N7	/ N7	/ N7	/ N7	/ N7	/ N7
I NEED [AREA NEEDS] ASSISTANCE – OTHER SPECIFY: _____ AT: _____	/ N8	/ N8	/ N8	/ N8	/ N8	/ N8	/ N8	/ N8

**THIS Q CODES ONLY PAGE (LINK) SHOULD ALWAYS BE WITH YOUR RADIO.**

## NET PROCEDURES:

1. **FOR EMERGENCY TRAFFIC RELAY – STATIONS CAPABLE OF MAKING 911 RELAY CALL NEED TO RESPOND AND HELP. OTHERWISE, ENTIRE NET IS SLOWED DOWN (WHICH COULD RESULT IN REDUCED RESPONSE TIME FOR OTHER EMERGENCY CONDITIONS).**
  2. When a call is made by CONTROL (e.g., “next”), only provide your tactical after CONTROL states “next” (do not give your report at this point). There will also be a pause between reports by CONTROL to allow any emergency traffic to break in.
  3. CONTROL will then “pick” a station and say “go” (e.g., “F1 go”). At that time F1 gives his/her report. This avoids doubling (which means no one hears anyone).
  4. IF CONTROL doesn’t pick you, then you need to keep trying (following steps 2 and 3, above).
  5. CONTROL will acknowledge each full report as “copy \_\_\_” ( e.g., “copy F1” ).
  6. Outside antennas are **strongly** recommended (you are preparing for emergency comms).
  7. Also, if you hear a station that CONTROL can’t hear, then after CONTROL states “next”, you would say (for example): “F1 relay”, then CONTROL will acknowledge and say “F1 relay go”. F1 is to then obtain the report (from the station that they can hear but CONTROL can’t) and relay it into CONTROL.
  8. **10 (760) is presently NOT a formal SCAN FREQ. (12/2/2022) DUE TO MALICIOUS KEYING AND TX OF MALICIOUS EMERGENCY ALERT TONES (FALSE ALARMS). IF ACTIVATED, STNS WILL BE DIRECTED.**
- ALSO, THE ONLY HAMS THAT RESPOND ON 760 AND 58 ARE THOSE WHO ARE PARTICIPATING IN THE SER PLAN and are on EROC 9 and/or HQ. OTHER SHINGLETOWN HAMS DO NOT RESPOND NOR PARTICPATE IN TRAINING OR DRILLS. THUS, EROC 9 IS THE PRIM NET FREQUENCY BECAUSE THAT IS WHERE THE ACTIVE PARTICIPANTS ARE WHO ARE HELPING OUT DURING INCIDENTS. WE HAVE HAD TO FOCUS ON THE PROCEDURES THAT ASSIST THOSE STATIONS THAT ARE ACTUALLY HELPING OUT AND RESPOND.**
9. Requests were being made on HAM for any non hams from areas not able to reach EROC 9 to send a report by e-mail or phone to show they are participating. Such requests have been stopped because there was a lack of response.
  10. 160 Tango Charlie is no longer used.
  11. **3/2/2023 BACKUP** has been added for the purpose of relaying net activations from CONTROL, as well as summaries and net deactivation. This is needed so that we have greater propagation in order to reach Midway, Long Hollow and other stations that may not (do not) hear CONTROL. BACKUP and CONTROL must be able to clearly hear each other but should be a considerable distance from each other to achieve the objective. For stations that hear both CONTROL and BACKUP, this will sound like a lot of duplication, but you must remember we are seeking to reach other stations that can only hear BACKUP (they can’t hear CONTROL) so that the Net receives and sends reports to as many participating stations as we can on EROC 9 (simplex).