DATE OF NET OPERATIONS: 5 / 18 /2023 1900 HRS F	MT KI	LO-ALT SUMN	MARY NET CONTROL. VERS 2023 04 01							
			ter: VILLAGE (©) K6PDS) 12/8/2022							
Report. 521, 1.21	7		iter. VIELAGE (@) Kor D3) 12/6/2022							
Net Agenda: Practice (actual info) Practice with Drill		ctual Incident								
1. SIT REP – USE FMT TANGO 9A OR TANGO 9M; EARTHQUAKE (EXPLOSION) NET – USE FMT T 9A OR T 9M										
2. QWA Proced (BREVITY FIRE WATCH PROCEDURE for suspect smoke, fire, er										
ALL STNS CONDUCT QWA PROC OR, NOT REQUIR	RED - STA	TION DISCRETION	$\forall$ ( $\partial$ ( $\partial$							
3.→			J.							
PRIM NET CH: EROC 9 (TX / RX).	0.									
Tacticals Activated: ONTROL (PRIM NET ON EROC 9);		)	( / );							
BACKUP (PRIM NET ON EROC 9);	(1 <sup>-</sup> 1/	)	<b>☑Cal Fire 20</b> ( ( <sup>2</sup> 7/ );							
(with HAM) 58 Relay ++ ( / ); 10 REL	<b>AY</b> ** (	/ );	$\square$ Mapping $(f-1)$ / $f$							
	e RELAY	(IN PROCESS)	<b></b> ( / );							
II liceded	LAY++		);							
	LENT+	•	).							
** 10 (760) may be on MONITOR only due to malicious keying of repeater (Only HQ Stations have satel			a Relay" needed in such cases so people can listen to 760							
(10.) but no TX into 760 (10). Also, 10 (760) may be turned off due to malicious keying of repeater and waking	g station ope	rators up during night.	a really include in one cases as people cases as							
++ 58 RELAY STATION MUST USE EROC 58 ON HIGH POWER. SEE Note 8.										
Net Reports Summary (SEE NEXT PAGE FOR SUMMARY).										
Net Control Recommendation: \( \square\) No action \( \square\) ACTION										
TOTAL NET TIME	9	MIN	(from initial tone out activation to closing)							
Divisions Reporting	2	DIV	(# of Shingletown Divisions.)							
Areas Reporting	3	AREAS	(# of neighborhoods)							
Stations Reporting from All Areas: (each Area having done its own Area Net and	(Total STNS reporting)									
Relaying summary into SER CONTROL. All Area summary reports are then mapped, summarized and followed by CONTROL Recommendation as to action (if any) to be done). Operations Center Mapping		RPTS TOTAL	(including report(s) for drill							
Summary and Recommendations are then TX on EROC 9 and Ham (on Ham if activated).	13	Line A	(CK If applicable)							
Stations QXX	8	Line B	VL: F13 14 L3 L4 56 57 F10 RA: MWM							
TOTAL STATIONS PARTICIPATING (total of lines A + B)	2-1	TOTAL STNS								
REPORTS TOTALS (total to line A, above)	<b>5</b>		VL: FIF751 SQ FB F2							
Village D3N VL -Emerg. Radio Operations Center	/9	Stns	C1 B1 S3							
+ DRILL PASSING EMERGENCY TRAFFIC (if applicable)	1	Stns								
	0	Ct	MW ON EDOC 0							
Midway D2N MW REPORTS ON EROC 9	3/	Stns	MW ON EROC 9  LH ON EROC 9							
	3 1 0xx	Stns Stns Stns	MW ON EROC 9  LH ON EROC 9  RA HAM relay into HAM MWM							

NOTES: FI-RADIO TX BROKENS SI Reconvered & Plugging Microphons JACK in Your Sevenal Times Result; SI runtion Appeared to Remedy,

P292

DATE: 6/18/202 TIME: 1900 HRS   SITREP AFTER DESCRIPTION - REPORT PROBLEMS ONLY	CODE	Midway 2	Long Holl	Village Q	Rest Area	OARD ( I.	DRILL	DRILL
		# STNS	#STNS	# STNS	# STNS (0-)XX		AREA 1	AREA 2
			F APPLIES	Sitre				
QXA - ALL OKAY NO PROBLEMS / NEEDS EXIST (I.E.,, BELOW)	QXA	(QXA	(QXA	(QXA)	QXA	QXA	QXA	QXA
QWA - BREVITY FIRE WATCH - NO SUSPECT SMOKE, FIRE, EMBERS	QWA	QWA	QWø	(QWA)	QWA	QWA	QWA	QWA
"Electricity (pg&e) is off", (SAY "SLASH A"	/A	/A	/A	/A	/A	/A	/A	/A
"Elect off with Individual STNS using generator for elect. PWR"	/A2	/A2	/A2	/A2	/A2	/A2	/A2	/A2
TELEPHONE LAND LINES NOT WORKING [WHEN PLUGGED DIRECT TO WALL]	/B	/B	/B	/B	/B	/B	/B	/B
OR SPORADIC FAILURES & IS NOT RELIABLE	/B7	/B7	/B7	/B7	/B7	/B7	/B7	/B7
CELL PHONES NOT WORKING	/C	/C	/C	/C	/C	/C	/C	/C
OR SPORADIC FAILURES &IS NOT RELIABLE	/C7	/C7	/C7	/C7	/C7	/C7	/C7	/C7
911 SERVICE NOT WORKING	/D RED	/D	/D	/D	/D	/D	/D	/D
	/D7	/D7	/D7	/D7	/D7	/D7	/D7	/D7
OR <u>SPORADIC FAILURES &amp; SNOT RELIABLE</u> [RECMEND HIGH ALERT MONITORING -NO 911 REV 911]	RED	,,,,,		,	,,,,		,,	
INTERNET IS NOT WORKING	/E	/E	/E	/E	/E	/E	/E	/E
OR SPORADIC FAILURES &IS NOT RELIABLE	/E7	/E7	/E7	/E7	/E7	/E7	/E7	/E7
BLACKOUT-ALL COMMS / ELECT. UTIL (I.E., /A TO /E) ALL	/F RED	/F	/F	/F	/F	/F	/F	/F
OFF [RECMEND HIGH ALERT MONITORING-EMERG TRAFFIC]							/G	
FLOODING IN AREA	/G	/G	/G	/G	/G	/G		/G
HIGH WINDS / STORM DAMAGE	/i	/i	/i	/i	/1	/i	/i	/i
WATER SERVICES NOT WORKING [CONCERNS INCLUDE -	/J RED	/J	/J	/J	/J	/J	/J	/J
FIRE HYDRANTS W/O WATER] HEAVY SNOW / SNOW CHAINS REQUIRED	/K	/K	/K	/K	/K	/K	/K	/K
	- T	, A						
Earthquakes or Explosions (ModMercali)					r Explosions			
"EARTHQUAKE (OR "EXPLOSION") - NOT FELT AT ALL	/M1	/M1	/M1	/M1	/M1	/M1	/M1	/M1 /M2
"EARTHQUAKE - BARELY NOTICED	/M2 /M3	/M2	/M2	/M2 /M3	/M2 /M3	/M2 /M3	/M2 /M3	/M 3
"EARTHQUAKE KNOW IT WAS AN EARTHQUAKE SOMEWHERE"	/M 4	/M4	/M 4	/M3	/M3	/M4	/M4	/M 4
"EARTHQUAKE windows, dishes rattle" (ANY STN ACTIVATE NET) "EARTHQUAKE pictures move, doors swing, small items on floor"	/M5	/M5	/M 5	/M5	/M 5	/M5	/M5	/M5
"EARTHQUAKE pictures move, adors swing, small items of noor "EARTHQUAKE glassware broken, books off shelf, floor lamps topple"	/M6	/M6	/M6	/M6	/M6	/M6	/M6	/ MC
"EARTHQUAKE glassware broken, books on shear, noor manys copper "EARTHQUAKE furniture broken, cannot stand, chimneys fall"		7 2.20	7	, , , , ,	7 2.20			
[RECMEND MID LEVEL ALERT MONITORING; DISPATCH	/ M 7							
DAMAGE ASSESSMENT TEAMS ON SUB NET; AND ADVISE 911	RED	/ M 7	/ M 7	/ M 7	/ M 7	/M7	/ M 7	/ M 7
OF RESULTS IF APPROPRIATE, ETC].		and the second second		3909 130 100				
"Earthquake -Buildings collapse" [RECMEND HIGH ALERT	/ M8							
MONITORING; DISPATCH DAMAGE ASSESSMENT TEAMS ON		/M8	/M8	/M8	/M8	/M8	/M8	/M8
SUB NET; AND ADVISE 911 OF RESULTS IF APPROPRIATE].	RED	, 1,120	7 1,120	7 1120	, 1,10	,,,,,	, 1,10	
REQUESTING SET UP OF NBHD COMMS CENTER IN AO	/R1 RED	/R1	/R1	/R1	/R1	/R1	/R1	/R1
REQUESTING SET OF OF INDRD COMING CENTER IN AC	/R2 RED	/R2	/R 2	/R2	/R2			/R2
REQUESTING NBHD RADPID NEEDS DAMAGE ASSESSMT FOR AO			4 10 0	/D 0	/R9	/R9	/R9	/R9
REQUESTING SET UP OF NBHD COMMS CENTER IN AO REQUESTING NBHD RADPID NEEDS DAMAGE ASSESSMT FOR AO RADIO RESPONDER – I AM AVAIALBLE FOR FIELD CALL OUT	/R9	/R9	/R9	/R9	/ N 9	/ K 9	/ K 9	